Potomac

RUBBER COMPANY, INC.



Quality Industrial Rubber Goods Since 1921

9011 Hampton Overlook • Capitol Heights, MD 20743

Tel: 301-336-7400 • Text Only: 301-541-8002

info@potomacrubber.com • www.potomacrubber.com

TABLE OF CONTENTS

V-Belts pg 3-6 Hoses pg 7-25

- * General Service Air/Water 8
- * Multipurpose High Pressure Air 8
- * Wire-Braid Air 9
- * Sandblast 9
- * Non-Marking Hot Water Washdown 10
- * Single Jacket Cotton Mill 10
- * PVC Discharge 11
- * Double Jacket 12
- * Fuel Oil Delivery 12
- * Tank Truck 13
- * Gas Pump (Soft Wall) 13
- * Gas Pump (Hard Wall) 14
- * DEF Dispensing 14
- * Stainless Braid w/PTFE Tube 15
- * Marine Exhaust (Soft Wall) 15
- * Marine Exhaust (Hard Wall) -16
- * Silicone Heater 16
- * Steam 17
- * Potable Suction/Discharge 17
- * Commercial Vacuum 18
- * HD PVC Suction/Discharge 18
- * Rubber Suction 19
- * PVC Suction (Green and Clear) 19
- * Tiger Tail 20
- * EPDM Tiger Flex Suction 20
- * HD Material Handling 21
- * Contractor Water 22
- * HD General Purpose Water 22
- * PVC Potable Water (NSF) 23
- * LPG (Propane) 23
- * Tree-Tying 24
- * D.O.T. 24
- * Pressure Washer 25

Tubing pg 26-29

- * *Pure Gum 27*
- * Signal Bell 27
- * Clear PVC 28
- * Polywire 28
- * Polybraid 29
- * Polyethylene 29

Fittings & Couplings pg 30-48

- * "Boss" Ground Joint Couplings 31
- * "Air King" Universal Chicago Fittings & Acc 32
- *Cam & Groove "Kamlok" s & Acc- 33 & 34
- * King Combo Nipples 35
- * Menders 35
- * Short Shanks 35
- * Bauer 36
- * Brass Barbed Inserts 36
- * Sand Blast Couplings 37
- *Strainers 37
- * *Valves 38*
- *Hydrant Adapters, Wrenches & Acc 39

- *Pipe Fittings 39
- *"Whip Check" Safety Cables 40
- *Victaulic Groove 40
- *Garden Hose Accessories 41 & 42
- *Quick Connects 43
- *Nozzles 44 & 45
- *Pressure Washer Accessories 45

Hose Assembly Capabilities pg 46-48 Hose Reels & Parts pg 49

Hydraulic Hose, Fittings & Adapters pg 50-53

- *2-Wire Hose 51
- *4-Wire Hose 52
- *Hydraulic Fittings, Adapters & Threads 53

Matting, Mats & Stairtreads pg 54 - 56

- *Vinyl Roll Matting 55
- *Heavy Corrugated Rubber Roll Matting 55 *ASTM Switchboard 56
- *Mats & Stairtreads 56

Packing, Gaskets & Sheet Rubber pg 57-79

- *Neoprene 58
- *Buna-N, Nitrile (NBR) 59
- *White, FDA Nitrile 60
- *EPDM 61
- *Peroxide Cured EPDM 62
- *SBR, Red Sheet, Rainbow Rubber 63
- *Silicone 64
- *Viton 65
- *Natural "Pure Gum" 66
- *Neoprene Diaphragm Sheet 67
- *Nitrile Diaphragm Sheet 68
- *SBR Cloth-Insert Sheet -69
- *Urethane Sheet 70
- *Closed-Cell Sponge 71
- *Open-Cell Sponge 72
- *Compressued Fiber w/NBR Binder 73
- *Plant Fibre 74
- *Flexible Graphite Sheet 74 *Iso-Cube Waffle Pads 75
- *Rubber & Cork Vibration Pads 75
- *EVA Vibration Pads 76
- *Solid Rubber Vibration Pads 76
- *Molded & Extruded Parts 77
- *Plow Blades & Skirtboard 78
- *Flange & Ring Gakets 79

Adhesives & O-Rings pg 80-82

- *3M Adhesives 81
- *O-Rings, Cord & Kits 82

Expansion Joints & Flex Connectors pg 83 Submersible Pumps & Floats pg 84



INCORPORATED

ADHESIVES – 3M, Gorilla Glue, SuperTAK

BEARING PADS – rubber, PTFE, AASHTO grade

BELTS – V belts, cog, wedge, timing, variable speed, banded, link-type, pulleys, sheaves

BUMPERS – Laminated Dock, "D" dock & "T" dock, wall and cart, corner

CHANNEL RUBBER - "U" Channel

CLAMPS – worm gear, T-Bolt, Center Punch, Roll-Over, Stainless & Galvanized Steel, Spiral, Double or Single Bolt

CONVEYOR BELTS – light & heavy duty, food grade, incline, flat

COUPLINGS – air, steam, water, hydraulic, fuel, complete DIXON Valve line

EXPANSION JOINTS – rubber single or double sphere, stainless braid, flanged, unions, jump sizes

FITTINGS – Kamlok, Chicago, Valves, brass inserts, scovills, boss/ground joint style, sandblast, short shanks, Victaulic/groove, nipples, internal expansion, Bauer, elbows, reducers, hydrant adapters, whipchecks, menders, GHT, NST/NH, NPSH, Wye, Ball Valves, Strainers, swivels, water keys

GASKETS – Die cut, CNC Knife Jet, custom, wide variety of materials available for cutting

GLOVES – disposable, chemical, leather, rubber, reusable

GROMMETS

GASKET MATERIALS -

compressed fiber/Garlock, neoprene, Buna-N Nitrile, Cloth-Insert, Diaphragm sheet, Mil Spec, SBR/Red Rubber, Silicone, Pure Gum/Natural Rubber, Plant Fibre, Viton, Food Grade, Teflon, EPDM, Closed Cell & Open Cell Sponge, Skirtboard

HOSE – air, ducting, chemical, water, garden, single jacket, double jacket, pvc discharge, potable, fuel oil delivery, gas pump, marine exhaust, pressure washer, pvc suction, rubber suction, material handling, steam, sandblast, non-marking, tank truck fuel, wire braid air/Bull hose, Gorilla hose, stainless braid w/Teflon tube, radiator, silicone heater, vacuum, flex hoses, steam, DEF, tree-tying

HOSE REELS – Hannay

MATTING – switchboard, carpet cover, anti-fatigue, walk-off, rubber runner, pvc runner, stair treads, customized, anti-slip, corner guards

MOLDED OR EXTRUDED PARTS

NOZZLES – lever garden, fog (brass or plastic), brass twist, lonn water saver, fire nozzles, Gasoline, Diesel

O-RINGS – splicing kits, assortment kits, TurboFuse adhesive, Cord, various sizes stocked

PACKING – PTFE, Graphite, Palmetto, TEAD-IT

PRESSURE WASHER – hoses, fittings, custom lengths, 4000#, 6000#, nozzles, handles, lances, tips, accessories

PUMPS – submersible, Godwin, Tsurumi, floats

QUICK CONNECTS – Cam and Groove/Kamloks, Pneumatic sockets & plugs, Hydraulic, Pressure washer

SAFETY PRODUCTS – goggles, vests, clothing, boots, gloves, whipchecks, OSHA valves, etc

SEALANTS – Gasoila, Teflon Tape

SPONGE - closed-cell, open-cell, neoprene-epdm-sbr blend, with or without pressure-sensitive adhesive backing, gaskets, sheets, weather stripping, dortite

STAIR TREADS

TUBING – pure gum, polyethylene, signal call, clear pvc, polybraid, silicone, wire reinforced pvc

V-BELTS – 3L, 4L, A, AX, B, BX, 3VX, 5VX, banded belts, Carlisle/Timken, Jason Megadyne, D&D Drive, Bestorq

VIBRATION PADS – 7/8" thick cork & rubber pads, 3/8" thick all rubber, waffle pads, EVA & rubber pads

WASHERS – custom sizes, various thicknesses & materials available

WEATHERSTRIP – Dortite, custom widths, various thicknesses, with or without PSA backing

301-336-7400 (call) 301-541-8002 (text only) www.potomacrubber.com



STATEMENT OF POLICY

PRICES

Due to fluctuating market conditions, prices have been omitted from this catalogue. Current pricing information will gladly be furnished on any item per your request.

TERMS

Approved credit accounts will receive Net 30 terms. Credit Cards are also accepted. All shipments are FOB Origin unless otherwise agreed upon.

TAXES

Federal and state taxes will be applied to all invoices unless a tax exemption certificate is on file or supplied at at the time of order.

WARRANTY

All first quality merchandise sold by Potomac Rubber Company Inc., is warranted to be free from defect in material and workmanship. Our liability with respect there to is limited, however, to your net purchase price of any such merchandise proved defective or, at our option, to the repair or replacement of such merchandise upon its return to us, transportation charges prepaid, and in either case, after a pro-rata charge for any service rendered. No claim will be allowed by us on any item of merchandise purchased for further processing unless we are notified thereof within thirty (30) days after your receipt thereof and are permitted to examine it before use or processing. Except as expressly stated above we make no warranty, express or implied, other than as to title, and we specifically disclaim the implied warranty of fitness for a particular purpose, and we shall not be subject to liability for any damages resulting from the handling, use or further processing of said merchandise whether alone or in combination with other materials. In no event shall the seller be liable for any incidental, consequential or special damages.

Special cut hoses or rubber products are not eligible for return or refund once they have been produced, except in the instance of poor material or workmanship as stated above.

Hose repair services are available only after the hose has been evaluated by our hose assembly specialist. Potomac Rubber Company, Inc. is not subject to liability for hose failure after repair and we do not warranty hose repairs.

Possession of this catalogue does not constitute an offer, and we reserve the right to accept or reject any or all orders.







HYDRAULIC HOSE, FITTINGS & ADAPTERS



301-336-7400 (call) 301-541-8002 (text only) www.potomacrubber.com



HYDRAULIC HOSES



EATON WEATHERHEAD HOSE AND FITTINGS AVAILABLE HERE!



2-WIRE



PART NO.	HOSE ID	HOSE OD	WORKING PRESSURE (PSI)	BURST PRESSURE (PSI)
1104BX	1/4"	0.593"	5,800	23,200
1104BX2	1/4"	0.570"	6,500	26,000
1106BX	3/8"	0.750"	4,800	19,200
1106BX2	3/8"	0.710"	5,800	23,200
1108BX	1/2"	0.875"	4,000	16,000
1108BX2	1/2"	0.840"	5,000	20,000
1110BX2	5/8"	1.000"	4,000	16,000
1112BX	3/4"	1.158"	2,250	9,000
1112BX2	3/4"	1.130"	3,500	14,000
1116BX2	1"	1.430"	3,000	12,000

BX-Hose (SAE 100R2AT): Temp rating up to 212 deg F

BX2-Hose (SAE 100R16): Petroleum based fluids up to 260 deg F,

Water-based fluids up to 158 deg F




4-WIRE



PART NO.	HOSE ID	HOSE OD	WORKING PRESSURE (PSI)	BURST PRESSURE (PSI)
1112BX4	3/4"	1.240"	5,500	22,000
1116BX4	1"	1.520"	5,100	20,400

BX4-Hose (SAE 100R12): Petroleum based fluids up to 260 deg F, Water-based fluids up to 158 deg F

MEDIUM PRESSURE - SAE 100R3



PART NO.	HOSE ID	HOSE OD	WORKING PRESSURE (PSI)	BURST PRESSURE (PSI)
1104H	1/4"	0.560"	1,250	5,000
1106H	3/8"	0.750"	1,125	4,500
1108H	1/2"	0.940"	1,000	4,000
1112H	3/4"	1.250"	750	3,000
1116H	1"	1.50"	565	2,260



HYDRAULIC FITTINGS & ADAPTERS

Potomac Rubber stocks a full line of hydraulic fittings & adapters including, but not limited to: Straight Connections (Male x Male, Female x Female, Male x Female), Jump sizes, Tees, 90deg Elbows and 45 deg Elbows.

Stocked Thread Types: NPT, NPSM, JIC, ORF, ORB

HOW TO IDENTIFY THREADS					
STEP 1	STEP 2	STEP 3		STEP 4	
Determine if tapered or parallel	Determine pitch	Determine size	Thread type	Thread designation	The chart sum- marizes the four-step thread ID process. "Note that JIS (Japanese Industrial Stan- dards) threads are identified similar to BSPP and BSPT but defined with PF and PT, respectively. For example, PF 1 /8 and PT 1 /2.
Parallel	12, 14, 16, 18, 20, 24	Measure with caliper	UN/UNF (SAE)	Size-pitch, type (for example, 3 /4-16 UN/UNF)	
Tapered	11 1/2, 14, 18, 27	Compare with profile	NPT/NPTF (Ameri- can Pipe)	Size-pitch, type (1 /4-18 NPT)	
Parallel	11, 14, 19, 28	Compare with profile	BSPP (British Pipe)	G, size* (G 1/8)	
Tapered	11,14,19,28	Compare with profile	BSPT (British pipe)	R, size* (R 1/2)	
Parallel	1.0, 1.5, 2.0	Measure with caliper	Metric parallel	M, size X pitch (M14 X 1.5)	
Topered	1.0, 1.5, 2.0	Measure with caliper	Metric tapered	M, size X pitch, keg or taper (M10 X 1 keg or taper)	

